
## HSB SERIES Rotating Screening Buckets

The HSB rotating screening buckets are specially designed to quickly and effectively screen material. They are ideal for sorting natural material in the best way manageable.

They can be used for many applications: primary sorting of waste and demolition materials, screening of backfill for excavations and materials for rocky terrain rehabilitation; gravel sorting in streams and beach cleaning. They are perfect in all circumstances where finer material must be obtained or where materials of different thicknesses have to be sorted. This can also help manage transportation costs, since you have the possibility of excluding any unwanted materials within the transportation load.

The screening buckets are made of the most durable HARDOX-400<sup>®</sup> steel with an extremely high wear resistance, minimum maintenance and a long lifespan.



The mesh size of the screen is easily adjusted by changing screen panels. There are screening kits available in the 20-150 mm range.

| SCREE | NING BUCKETS                 |                | HSB-200   | HSB-300   | HSB-400   | HSB-700   | HSB-1400  |
|-------|------------------------------|----------------|-----------|-----------|-----------|-----------|-----------|
| £     | Excavator class <sup>1</sup> | t              | 1.5 - 2.5 | 3 - 5     | 5 - 8     | 8 - 12    | 13 - 16   |
| KG    | Weight                       | kg             | 165       | 300       | 420       | 755       | 1380      |
|       | Capacity SAE                 | m <sup>3</sup> | 0.2       | 0.3       | 0.5       | 0.7       | 1.3       |
| Ø¢    | Working pressure             | bar            | 100 - 120 | 100 - 120 | 100 - 120 | 100 - 120 | 200 - 220 |
| 0 🗬   | Oilflow                      | l/min          | 20 - 30   | 30 - 50   | 30 - 50   | 50 - 70   | 40 - 80   |
| C     | Rotation                     | rpm            | 24 - 32   | 18 - 24   | 18 - 24   | 18 - 24   | 18 - 35   |
| Α     | -                            | mm             | 740       | 1070      | 1175      | 1480      | 1950      |
| В     | -                            | mm             | 630       | 805       | 930       | 1055      | 1460      |
| С     | -                            | mm             | 320       | 445       | 515       | 690       | 790       |
| D     | -                            | mm             | 500       | 640       | 750       | 840       | 1170      |
| L     | -                            | mm             | 520       | 700       | 800       | 900       | 2200      |

| SCREE               | NING BUCKETS                 |        | HSB-1600  | HSB-1900  | HSB-2600  | HSB-4900  |
|---------------------|------------------------------|--------|-----------|-----------|-----------|-----------|
| £                   | Excavator class <sup>1</sup> | t      | 17 - 21   | 22 - 30   | 31 - 40   | 41 - 55   |
| (KG)                | Weight                       | kg     | 1635      | 1875      | 2600      | 4955      |
|                     | Capacity SAE                 | m³     | 1.7       | 2.1       | 2.8       | 5.3       |
| 04                  | Working pressure             | bar    | 200 - 220 | 200 - 220 | 200 - 220 | 200 - 220 |
| 04                  | Oilflow                      | l/min  | 40 - 80   | 40 - 80   | 40 - 80   | 40 - 80   |
| C                   | Rotation                     | rpm    | 18 - 35   | 18 - 35   | 18 - 35   | 18 - 35   |
| А                   | -                            | mm     | 2190      | 2250      | 2600      | 2950      |
| В                   | -                            | mm     | 1650      | 1890      | 2000      | 2410      |
| С                   | -                            | mm     | 925       | 980       | 1040      | 1360      |
| D                   | -                            | mm     | 1340      | 1560      | 1700      | 2000      |
| L                   | -                            | mm     | 1400      | 1600      | 1750      | 2000      |
| <sup>1</sup> Recomr | nended excavator / attachme  | 🚵 📰 HA |           |           |           |           |